

香港九龍觀塘觀塘道396號 毅力工業中心11樓H室

> Workshop No.H on 11th Floor, Everest Industrial Centre, No. 396 Kwun Tong Road, Kwun Tong, Kowloon, Hong Kong

(852) 2389 2928

(852) 2344 9685

mewverdure@newverdure.com

www.newverdure.com

報價表格 Quotation Form

*請必需填寫內容 Please Fill in The Content

公司名稱 Company Name*:	
經辦人 Attn*:	
公司地址 Address:	
公司電話 Tel.:	
手提電話 Phone*:	
傳真 Fax:	
電郵 Email*:	

書刊或通訊資料 **Booklet or Newsletter Information**

*請從新用黑色字填寫或删除不適用內容 *Please Fill in or Delete The Inapplicable Content in Black Words

產品名稱 Product Name:			
完成尺寸 Finished Size:		打開尺寸 Open Size:	
封面及封底顏色 Cover & Back Cover Colour:	如 e.g. 雙面彩色 4C + 4C 單面彩色 4C + 0C 專色 Pantone	封面紙質和重量 Cover Paper Quality And Weight:	如 e.g. 300gms 雙粉咭 Gloss Coated Card 300gms 啞粉紙 Matt Art Paper
封面加工 Cover Processing:	如 e.g. 光膠 Gloss Glue 啞膠 Matt Glue 局部燙金 Partial Hot Stamping 局部燙銀 Partial Hot Silver 局部 UV Spot UV 擊凸 Embossing	內頁紙質和重量 Inside Pages Quality And Weight:	如 e.g. 80gms 書紙 Woodfree Paper 100gms 書紙 Woodfree Paper 120gms 書紙 Woodfree Paper 128gms 光粉紙 Gloss Art Paper 128gms 啞粉紙 Matt Art Paper
釘裝 Stapling:	如 e.g. 騎馬釘 Saddle-Stich Binding 膠裝 Perfect Binding 線膠裝 Sewn Perfect Binding	內頁顏色 Inside Pages Colour:	如 e.g. 雙面彩色 4C + 4C 單面彩色 4C + 0C
頁數 Pages:	如 e.g. 4pp + 76 pp	全書頁數 Whole Book Pages:	如 e.g. 80 pp
印刷數量 Printing Qty.:		預計交貨日期 Expected Delivery Dates:	
□ 設計連印刷 Design and Printing 送貨地址 Delivery Address:	□ 僅設計 Design Only	□ 客戶提供印刷檔案,請以電腦檔直出鋅版 CTP 為準,如 300 dpi PDF File Client Provides Printing File, Please Refer to The Printing With Computer CTP, e.g. 300 dpi PDF File	

P1/9 08/2022

單張資料 Leaflet Information

*請從新用黑色字填寫或刪除不適用內容 *Please Fill in or Delete The Inapplicable Content in Black Words

產品名稱 Product Name:			
完成尺寸 Finished Size:		打開尺寸 Open Size:	
單張紙質和重量 Leaflet Paper Quality And Weight:	如 e.g. 128gms 光粉紙 Gloss Art Paper 128gms 啞粉紙 Matt Art Paper	單張顏色 Leaflet Colour:	如 e.g. 雙面彩色 4C + 4C 單面彩色 4C + 0C
單張加工 Leaflet Processing:	如 e.g. 光膠 Gloss Glue 啞膠 Matt Glue	摺工 Folding 壓線 Creasing	針線 Perforation
單張頁數 Leaflet Pages:	如 e.g. 6pp	單張摺工 Leaflet Folding:	如 e.g. 2 摺 / 風琴摺
印刷數量 Printing Qty.:		預計交貨日期 Expected Delivery Dates:	
□ 設計連印刷 Design and Printing	□ 僅設計 Design Only	如 300 dpi PDF File	請以電腦檔直出鋅版 CTP 為準,ease Refer to The Printing With Computer CTP,
送貨地址 Delivery Address:			

包裝盒資料 Packing Boxes Information

*請從新用黑色字填寫或刪除不適用內容 *Please Fill in or Delete The Inapplicable Content in Black Words

產品名稱 Product Name:			
完成尺寸 Finished Size:		打開尺寸 Open Size:	
包裝盒類型 Packing Boxes Type:	如 e.g. 摺盒 Foldable Box 天地蓋 Up and Bottom Cover	雙開盒 Double-Opening Set Box 飛機盒 Aircraft Box	翻蓋盒 Flip Top Box 抽屜盒 Drawer Box
包裝盒紙質和重量 Packing Boxes Paper Quality And Weight:	如 e.g. 250gms 光粉紙 Gloss Art Paper 250gms 啞粉紙 Matt Art Paper	包裝盒面及包裝盒底顏色 Packing Boxes Cover & Packing Boxes Back Cover Colour:	如 e.g. 雙面彩色 4C + 4C 單面彩色 4C + 0C 專色 Pantone
包裝盒加工 Packing Boxes Processing:	如 e.g. 光膠 Gloss Glue 啞膠 Matt Glue 局部燙金 Partial Hot Stamping 局部燙銀 Partial Hot Silver	摺工 Folding 針線 Perforation 壓線 Creasing 啤工 Diecut	開圓角 Round Corner 局部 UV Spot UV 撃凸 Embossing 打孔 Hole Drilling
印刷數量 Printing Qty.:		預計交貨日期 Expected Delivery Dates:	
□ 設計連印刷 Design and Printing	□ 僅設計 Design Only	如 300 dpi PDF File	請以電腦檔直出鋅版 CTP 為準· ease Refer to The Printing With Computer CTP,
送貨地址 Delivery Address:			

08/2022 P2/9

賀咭/邀請咭/咭片資料 Fancy Greeting / Invitation Card / Name Card Information

*請從新用黑色字填寫或删除不適用內容 *Please Fill in or Delete The Inapplicable Content in Black Words

產品名稱 Product Name:			
完成尺寸 Finished Size:		打開尺寸 Open Size:	
紙質和重量 Paper Quality And Weight:	如 e.g. 250gms 光粉紙 Gloss Art Paper 250gms 啞粉紙 Matt Art Paper	顏色 Colour:	如 e.g. 雙面彩色 4C + 4C 單面彩色 4C + 0C 專色 Pantone
加工 Processing:	如 e.g. 光膠 Gloss Glue 啞膠 Matt Glue 局部燙金 Partial Hot Stamping 局部燙銀 Partial Hot Silver	摺工 Folding 針線 Perforation 壓線 Creasing 啤工 Diecut	閘圓角 Round Corner 局部 UV Spot UV 擊凸 Embossing 打孔 Hole Drilling
頁數 Pages:	如 e.g. 1 張紙 (2PP)	摺工 Folding:	如 e.g. 1 摺 / 對摺
印刷數量 Printing Qty.:		預計交貨日期 Expected Delivery Dates:	
□ 設計連印刷 Design and Printing	□ 僅設計 Design Only	□ 客戶提供印刷檔案‧請以電腦檔直出鋅版 CTP 為準‧ 如 300 dpi PDF File Client Provides Printing File, Please Refer to The Printing With Computer CTP, e.g. 300 dpi PDF File	
送貨地址 Delivery Address:			

柯式標籤 / 貼紙資料 Offset Label / Sticker Information

*請從新用黑色字填寫或刪除不適用內容 *Please Fill in or Delete The Inapplicable Content in Black Words

產品名稱 Product Name:			
完成尺寸 Finished Size:		紙質和重量 Paper Quality And Weight:	如 e.g. 128gms 光粉紙 Gloss Art Paper 128gms 啞粉紙 Matt Art Paper
加工 Processing:	如 e.g. 光膠 Gloss Glue 啞膠 Matt Glue 局部燙金 Partial Hot Stamping 局部燙銀 Partial Hot Silver 啤工 Diecut 局部 UV Spot UV	顏色 Colour:	如 e.g. 單面彩色 4C + 0C
印刷數量 Printing Qty.:		預計交貨日期 Expected Delivery Dates:	
□ 設計連印刷 Design and Printing	□ 僅設計 Design Only	如 300 dpi PDF File	請以電腦檔直出鋅版 CTP 為準· lease Refer to The Printing With Computer CTP,
送貨地址 Delivery Address:			

08/2022 P3/9

年曆定制資料 Calendar Customization Information

*請從新用黑色字填寫或删除不適用內容 *Please Fill in or Delete The Inapplicable Content in Black Words

產品名稱 Product Name:		年曆完成尺寸 Calendar Finished Size:	
年曆內頁尺寸 Calendar Inside Size:		年曆內頁紙質和重量 Calendar Inside Paper Quality And Weight:	如 e.g. 128gms 啞粉紙 Matt Art Paper
年曆底座尺寸 Calendar Stand Size:		年曆封面紙質和重量 Calendar Cover Paper Quality And Weight:	如 e.g. 250gms 白咭 White Woodfree Paper
年曆種類 Type of Calendar:	如 e.g. 掛曆 Wall Calendar	三角曆 Triangle Calendar	年曆咭 Calendar Card
年曆封面顏色 Calendar Cover Colour:	如 e.g. 雙面彩色 4C + 4C 單面彩色 4C + 0C 專色 Pantone	年曆底座顏色 Calendar Stand Colour:	如 e.g. 雙面彩色 4C + 4C 單面彩色 4C + 0C 專色 Pantone
年曆底座顏色 Calendar Stand Colour:	如 e.g. 雙面彩色 4C + 4C 單面彩色 4C + 0C 專色 Pantone	年曆內頁顏色 Calendar Inside Pages Colour:	如 e.g. 雙面彩色 4C + 4C
年曆底座物料 Calendar Material of Stand:	如 e.g. 1.5mm 碳灰黑背板 Black Color Cardboard Back	年曆釘裝 Calendar Stapling:	如 e.g. 白色鐵圈 Double Wire-O (White Colour)
年曆封面加工 Calendar Cover Processing:	如 e.g. 光膠 Gloss Glue 啞膠 Matt Glue 局部燙金 Partial Hot Stamping 局部燙銀 Partial Hot Silver 局部 UV Spot UV 擊凸 Embossing	年曆內頁頁數 Calendar Inside Pages:	如 e.g. 8 張紙 (16PP) 9 張紙 (18PP) 13 張紙 (26PP) 14 張紙 (28PP)
年曆封面頁數 Calendar Cover Pages:	如 e.g. 1 張紙 (2PP)	年曆底座頁數 Calendar Stand Pages:	如 e.g. 1 張紙 (2PP)
印刷數量 Printing Qty.:		預計交貨日期 Expected Delivery Dates:	
□ 設計連印刷 Design and Printing	□ 僅設計 Design Only	如 300 dpi PDF File	請以電腦檔直出鋅版 CTP 為準· ease Refer to The Printing With Computer CTP,
送貨地址 Delivery Address:			

08/2022 P4/9

信封資料 Envelope Information

*請從新用黑色字填寫或删除不適用內容 *Please Fill in or Delete The Inapplicable Content in Black Words

產品名稱 Product Name:			
完成尺寸 Finished Size:		打開尺寸 Open Size:	
信封紙質和重量 Envelope Paper Quality And Weight:	如 e.g. 80gms 書紙 Woodfree Paper 100gms 書紙 Woodfree Paper 120gms 書紙 Woodfree Paper	信封顏色 Envelope Colour:	如 e.g. 單面彩色 4C + 0C 專色 Pantone
信封加工 Envelope Processing:	如 e.g. 有窗 With Window 無窗 No Window 有膠水 With Glue	無膠水 No Glue 局部燙金 Partial Hot Stamping 局部燙銀 Partial Hot Silver	壓線 Creasing 啤工 Diecut 局部 UV Spot UV
印刷數量 Printing Qty.:		預計交貨日期 Expected Delivery Dates:	
□ 設計連印刷 Design and Printing	□ 僅設計 Design Only	□ 客戶提供印刷檔案・請以電腦檔直出鋅版 CTP 為準・ 如 300 dpi PDF File Client Provides Printing File, Please Refer to The Printing With Computer CTP, e.g. 300 dpi PDF File	
送貨地址 Delivery Address:			

帆布橫額資料 Vinyl Banner Information

*請從新用黑色字填寫或删除不適用內容 *Please Fill in or Delete The Inapplicable Content in Black Words

	W3 IAC 1017 137		e riii in or Deiete The mappiicable Content in black w
產品名稱 Product Name:			
完成尺寸 Finished Size:		接駁 Joint:	如 e.g. 無需接駁 No Need to Joint
	如 e.g. 薄身橫額		
黃額物料 Material of Banner:	Vinyl Banner (350gsm)	横額顏色	如 e.g. 雙面彩色 4C + 4C
电台只有分析并 Material Of Barrier:	光面帆布 Glossy Vinyl	便 僚 原 巴 Banner Colour:	單面彩色 4C + 0C
	啞面帆布 Matt Vinyl		丰岡が占すて下00
	黑底帆布 Black Back Vinyl		
	如 e.g. 四角打雞眼 Weld Edges and 4-Corne	r Eyelets	
	四邊平均打雞眼 Weld Edges and E	ven Eyelets	
責額加工 Banner Processing:	上下平均打雞眼 Weld Edges and Top / Bottom Even Eyelets		
	左右平均打雞眼 Weld Edges and Left / Right Even Eyelets		
	如 e.g. 四邊切正 Cutfit (4 sides)		
	上下做袋,左右包邊(布袋尺寸:1.5吋/2吋/2.5吋/3吋)		
	Top / Bottom Sew Pocket & Left / Right Weld Edge (Pocket Size: 1.5 inch / 2 inch / 2.5 inch / 3 inch)		
黃額制作 Stapling of Banner:	四邊包邊 Weld Edges		
	上下包邊,左右做袋(布袋尺寸:1.5 吋/2 吋/2.5 吋/3 吋)		
	Top / Bottom Weld Edge & Left / Right Po	cket (Pocket Size: 1.5 inch / 2 inch / 2.5 i	nch / 3 inch)
	四邊包繩 4 Sides Weld Ropes		
印刷數量 Printing Qty.:		預計交貨日期	
· · · · · · · · · · · · · · · · · · ·		Expected Delivery Dates:	
〕 設計連印刷	 		請以電腦檔直出鋅版 CTP 為準,
■ 設計連印刷 Design and Printing	国 建設計 Design Only	如 300 dpi PDF File	lease Refer to The Printing With Computer CTP,
Design and Finding	Design Only	e.g. 300 dpi PDF File	lease Neier to The Filliung With Computer CTF,
Delivery Address:			

08/2022 P5/9

發泡膠板資料 Foamboard Information

*請從新用黑色字填寫或删除不適用內容 *Please Fill in or Delete The Inapplicable Content in Black Words

產品名稱 Product Name:	完成尺寸 Finished Size:
發泡膠板物料 Foamboard Material:	如 e.g. 裱貼發泡膠板 (PP 貼啞面) (5mm/10mm) (白色/黑色) (單面彩色/雙面彩色) PP Sticker Foamboard (5mm/10mm) (White/ Black) (Single-Sided Colour / Double-Sided Colour) 直噴發泡膠板 (5mm) (白色) (單面彩色/雙面彩色) Foamboard (5mm/10mm) (White/ Black) (Single-Sided Colour / Double-Sided Colour) 高清強化紙發泡膠板 (PP 貼光面 / PP 貼啞面) (5mm) (白色) (單面彩色/雙面彩色) HD Ultra Rigid Paper Foamboard (PP Sticker Gloss / PP Sticker Matt) (5mm) (White) (Single-Sided Colour / Double-Sided Colour) 超值環保直噴發泡膠板 - 只可四邊切正 (5mm) (白色) (單面彩色) Fixed Size Board - Only Cutfit (4 sides) (5mm) (White) (Single-Sided Colour)
發泡膠板顏色 Foamboard Colour:	如 e.g. 雙面彩色 4C + 4C 單面彩色 4C + 0C 接駁 Joint: 如 e.g. 無需接駁 No Need to Joint
發泡膠板加工 Foamboard Processing:	如 e.g. 四角打孔 Punched Hole (4 corners) 上兩角打孔 Punched Even Holes (4 sides) 四邊平均每尺打孔 Weld Edges and Even Holes 上兩角打孔穿魚絲 Punched Hole at Top Corners, Tie Fish Line For Hanging 四角打雞眼 Weld Edges and 4-Corner Eyelets 上兩角打雞眼 Eyelets at Top Corners 四邊肯貼雙面膠紙 Apply double sided tape at the back (4 sides) 四邊肯貼地毯膠 Apply carpet double sided cloth tape at the back (4 sides) 四邊青貼魔術貼 (公/配鳢) Apply magic tape at the back (4 sides) 清貼紙腳 15.5 吋 (高) (39cm) Cardboard stand 15.5 in (h) (39cm) 青貼紙腳 8.5 吋 (高) (22cm) Cardboard stand 8.5 in (h) (22cm) 青貼紙腳 6 吋 (高) (15.5cm) Cardboard stand 6 in (h) (15.5cm)
發泡膠板制作 Stapling of Foamboard: 印刷數量 Printing Qty.: □ 設計連印刷 Design and Printing	如 e.g. 四邊切正 Cutfit (4 Sides) 四邊貼紙包邊 Cutfit & Wrap Edge (4 Sides) 多邊形裁切 (多邊形裁切 (Die-cut) 收費只計算每個印刷品一個切割圖形‧額外切割圖形需視乎其數量及複雜性而另行報價) Diecut Charges Only Calculate One Cutting Pattern for Each Printed Matter And Additional Cutting Patterns Need to be Quoted Separately Depending on The Quantity And Complexity) 四邊包膠邊 (白色/灰色/黃色/綠色/藍色/黑色/金色/銀色) 4 Sides With Plastic Stripping (White / Grey / Yellow / Green / Red / Blue / Black / Gold / Silver)
送貨地址 Delivery Address:	e.g. 300 dpi PDF File

08/2022 P6/9

PVC 板 / 中空板資料 PVC Board / Corflute Information

*請從新用黑色字填寫或删除不適用內容 *Please Fill in or Delete The Inapplicable Content in Black Words

產品名稱 Product Name:	完成尺寸 Finished Size:
物料 Material:	如 e.g. PVC 板室內 PP 光面貼 (1mm/3mm/5mm) (白色) PVC Board Indoor PP Sticker Gloss (1mm/3mm/5mm) (White) PVC 板室內 PP 啞面貼 (1mm/3mm/5mm) (白色) PVC Board Indoor PP Sticker Matt (1mm/3mm/5mm) (White) PVC 板室外 光面貼 (白底貼) (1mm/3mm/5mm) (白色) PVC Board Outdoor PP Sticker Gloss (1mm/3mm/5mm) (White) PVC 板室外光 啞面貼 (白底貼) (1mm/3mm/5mm) (白色) PVC Board Outdoor PP Sticker Matt (1mm/3mm/5mm) (White) B面中空板光面貼 (白底貼) (5mm) (白色) Single-Sided Corflute Sticker Gloss (White Back) (5mm) (White)
交五 夕	單面中空板啞面貼 (白底貼) (5mm) (白色) Single-Sided Corflute Sticker Matt (White Back) (5mm) (White) 如 e.g. 雙面彩色 4C + 4C 如 e.g. 標準接駁 Standard Joint
顏色 Colour:	接駁 Joint: ## E.g. 是面彩色 4C + 0C 接駁 Joint: ## 接駁 No Need to Joint
加工 Processing:	如 e.g. 四角打孔 Punched Hole (4 corners) 上兩角打孔 Punched Even Holes (4 sides) 四邊平均每尺打孔 Weld Edges and Even Holes 上兩角打孔穿魚絲 Punched Hole at Top Corners, Tie Fish Line For Hanging 四角打雞眼 Weld Edges and 4-Corner Eyelets 上兩角打雞眼 Eyelets at Top Corners 四邊背貼雙面膠紙 Apply double sided tape at the back (4 sides) 四邊背貼地毯膠 Apply carpet double sided cloth tape at the back (4 sides) 四邊背貼魔術貼 (公/配幔) Apply magic tape at the back (4 sides) 背貼紙腳 15.5 吋 (高) (39cm) Cardboard stand 15.5in (h) (39cm) 青貼紙腳 8.5 吋 (高) (22cm) Cardboard stand 8.5in (h) (22cm) 青貼紙腳 6 吋 (高) (15.5cm) Cardboard stand 6in (h) (15.5cm)
制作 Stapling:	如 e.g. 四邊切正 Cutfit (4 Sides) 四邊貼紙包邊 Cutfit & Wrap Edge (4 Sides) 多邊形裁切 (多邊形裁切 (Die-cut) 收費只計算每個印刷品一個切割圖形‧額外切割圖形需視乎其數量及複雜性而另行報價) Diecut Charges Only Calculate One Cutting Pattern for Each Printed Matter And Additional Cutting Patterns Need to be Quoted Separately Depending on The Quantity And Complexity) 四邊包膠邊 (白色/灰色/黃色/綠色/藍色/黑色/金色/銀色) 4 Sides With Plastic Stripping (White / Grey / Yellow / Green / Red / Blue / Black / Gold / Silver)
印刷數量 Printing Qty.: Design and Printing	預計交貨日期 Expected Delivery Dates: □ 客戶提供印刷檔案・請以電腦檔直出鋅版 CTP 為準・ 如 300 dpi PDF File Client Provides Printing File, Please Refer to The Printing With Computer CTP, e.g. 300 dpi PDF File
送貨地址 Delivery Address:	

08/2022 P7/9

易拉架資料 Pull Up Banner Information

*請從新用黑色字填寫或删除不適用內容 *Please Fill in or Delete The Inapplicable Content in Black Words

產品名稱 Product Name:			
完成尺寸 Finished Size:			
	如 e.g. PP 啞緻易拉架 PP Standard Resolution Pull Up Banner		450mm (W) X 1600mm (H) 600mm (W) X 1600mm (H) 800mm (W) X 2000mm (H)
易拉架物料	強化膠易拉架 (光膠/啞膠) Toughened Plastic Pull Up Banner (Gloss Glue / Matt Glue)		450mm (W) X 1600mm (H) (1.18kg) 600mm (W) X 1600mm (H) (1.141kg) 800mm (W) X 2000mm (H) (2.067kg)
Pull Up Banner Material:	鋁合金易拉架 (光膠/啞膠) Aluminium Pull Up Banner (Gloss Glue / Ma	tt Glue)	450mm (W) X 1600mm (H) (1.2kg) 600mm (W) X 1600mm (H) (1.4kg) 800mm (W) X 2000mm (H) (1.7kg) 1000mm (W) X 2000mm (H) (2kg) 1200mm (W) X 2000mm (H) (2.4kg) 1500mm (W) X 2000mm (H) (3kg)
易拉架顏色 Pull Up Banner Colour:	如 e.g. 單面彩色 4C + 0C	接駁 Joint:	如 e.g. 無需接駁 No Need to Joint
印刷數量 Printing Qty.:		預計交貨日期 Expected Delivery Dates:	
□ 設計連印刷 Design and Printing	□ 僅設計 Design Only	如 300 dpi PDF File	請以電腦檔直出鋅版 CTP 為準· ease Refer to The Printing With Computer CTP,
送貨地址 Delivery Address:			

PP 貼紙資料 PP Sticker Information

*請從新用黑色字填寫或刪除不適用內容 *Please Fill in or Delete The Inapplicable Content in Black Words

產品名稱 Product Name:			
完成尺寸 Finished Size:			
PP 貼物料 PP Sticker Material:	如 e.g. 室內 PP 光面貼(白底貼)Indoor PP 空內 PP 啞面貼(白底貼)Indoor PP 空內 PP 啞面貼(灰底貼)Indoor PP 空內和戶外 Avery PP 光面貼(白室內和戶外 Avery PP 啞面貼(黑室內和戶外 Avery PP 啞面貼(黑室內和戶外 Avery PP 啞面貼(黑	Sticker Matt(White Back) Sticker Matt(Grey Back) 底貼)Indoor & Outdoor Avery Sticker C 底貼)Indoor & Outdoor Avery Sticker M 底貼)Indoor & Outdoor Avery Sticker C	Aatt (White Back) Gloss (Black Back)
PP 貼顏色 PP Sticker Colour:	如 e.g. 單面彩色 4C + 0C	接駁 Joint:	如 e.g. 無需接駁 No Need to Joint
PP 貼制作 PP Sticker Stapling:	如 e.g. 四邊切正 Cutfit (4 Sides) 四邊貼紙包邊 Cutfit & Wrap Edge (4 Sides) 多邊形裁切 (多邊形裁切 (Die-cut) 收費只計算每個印刷品一個切割圖形‧額外切割圖形需視乎其數量及複雜性而另行報價) Diecut Charges Only Calculate One Cutting Pattern for Each Printed Matter And Additional Cutting Patterns Need to be Quoted Separately Depending on The Quantity And Complexity)		
印刷數量 Printing Qty.:		預計交貨日期 Expected Delivery Dates:	
□ 設計連印刷 Design and Printing	□ 僅設計 Design Only	如 300 dpi PDF File	請以電腦檔直出鋅版 CTP 為準· ease Refer to The Printing With Computer CTP,
送貨地址 Delivery Address:			

08/2022 P8/9

玻璃貼資料 Glass And Window Sticker Information

*請從新用黑色字填寫或刪除不適用內容 *Please Fill in or Delete The Inapplicable Content in Black Words

產品名稱 Product Name:			
完成尺寸 Finished Size:			
玻璃貼物料 Glass And Window Sticker Material:	如 e.g. 玻璃貼 Glass And Window Sticker 網孔貼 Micro Hole Stickers 磨砂貼 (正噴/反噴) Frosted Sticker (FUV 白墨貼單面局部托白墨 (透明UV White Ink Sticker 4C + White Ink TranspUV 台墨貼雙面局部托白墨加彩UV White Ink Sticker 4C + White Ink + 4CTUV 專色白墨貼 (透明貼正噴/透明UV White Ink Sticker White Ink Transparent UV 白墨貼單面局部托白墨 (磨砂UV White Ink Sticker 4C + White Ink FrosteUV 白墨貼雙面局部托白墨加彩UV 分量點雙面局部托白墨加彩UV White Ink Sticker 4C + White Ink + 4C FUV 專色白墨貼 (磨砂貼正噴/磨砂點UV White Ink Sticker White Ink Frosted Stic	貼正噴 / 透明貼反噴) arent Sticker (Front Image / Reversed Ir 色 (透明貼正噴 / 透明貼反噴) ransparent Sticker (Front Image / Reversed Image) : Sticker (Front Image / Reversed Image 貼正噴 / 磨砂貼反噴) d Sticker (Front Image / Reversed Image 色 (磨砂貼正噴 / 磨砂貼反噴) rosted Sticker (Front Image / Reversed If 局反噴) ker (Front Image / Reversed Image)	sed Image))
玻璃貼顏色	透明貼紙 (正噴/反噴) Transparent Sticker (Front Image / Reverse 如 e.g. 單面彩色 4C + 0C	d Image) 接駁 Joint:	如 e.g. 無需接駁 No Need to Joint
Glass And Window Sticker Colour: 玻璃貼制作 Glass And Window Sticker Stapling:	多邊形裁切 (多邊形裁切 (Die-cut) 收 Diecut Charges Only Calculate One Cuttin		
印刷數量 Printing Qty.:		預計交貨日期 Expected Delivery Dates:	
□ 設計連印刷 Design and Printing	□ 僅設計 Design Only	如 300 dpi PDF File	請以電腦檔直出鋅版 CTP 為準· ease Refer to The Printing With Computer CTP,
送貨地址 Delivery Address:			

支付 Payment:

- 可選擇銀行匯款或支票付款 You Can Choose to Pay by Bank Transfer or Check.
- 2. 匯款戶口:東亞銀行 015-205-10-06814-0 Remittance Account: BEA 015-205-10-06814-0
- 3. 支票抬頭:小草印刷設計宣傳製品公司 Cheque Payable to: New Verdure Printing & Design Company
- 出數後·請致電或傳真作實·其後會發回正式收據 Please Call or Fax to Confirm The Number, And an Official Receipt Will be Sent Back Later

借註 Notes:

- . 報價單有效期為兩星期
 - The quotation is valid for two weeks
- 製作前須付總費的 50% 為訂金, 簽回報價單及收齊資料後開始製作 50% of the total fee must be paid as a deposit before production, and the production will start after signing the quotation and receiving all the information
- 3. 餘數必須出貨前結算·所有已付費用及訂金恕不能退回
 - The balance must be settled before shipment, and all paid fees and deposits cannot be returned
- 1. 簽署報價單代表同意本公司的相關服務條款
 - Signing the quotation means agreeing to the company's relevant terms of service
- 5. 本報價單內之價格只供參考·最後價格以訂單為準
 - The price in this quotation is for reference only, and the final price is subject to the order
- 5. 如非特別註明·印刷顏色均為 CMYK 四色印刷·不包括專色 Unless otherwise specified, the printing colors are CMYK four-color printing, excluding spot colors
- 本公司保留隨時調整本報價單內容與價格之權利
- The company reserves the right to adjust the content and price of this quotation at any time
- 8. 簽回報價單及收齊資料後開始製作
- Start production after signing back the quotation and collecting all the information
- 9. 簽署報價單代表同意本公司的相關服務條款 Signing the quotation means agreeing to the company's relevant terms of service

僅限內部使用	For Internal Use Only:

工單號碼 Ref. No. DP 81

經批准 Approved by : 小草印刷設計宣傳製品公司 New Verdure Printing & Design Company		
經辦人 Attn:		

接受 Accepted by:		
經辦人 Attn: 請簽名並上傳回本網頁 Signed and Returned by This Page Please		

多謝貴客戶支持! Thank You For Your Customer Support!

08/2022 P9/9